

NEXT TOKEN GENERATION

— Inspired by great (lectures)

from Andrej Karpathy.

↳ Search for

Neural Networks

Zero to Hero

— We discussed relevance to chat GPT

a b b _?

What is the next character?

a b b - ?

What is the next character?

Pose as classification task

a b b

\mathcal{L}	$P(c)$
a	0.01
b	...
⋮	
l	0.4
⋮	
z	
-	

Specific Problem

- Generate Indian names
- Dataset : aabid
aabida
aadesh
:
:
:
:
zeel

Specific Problem

- Generate Indian names

- Dataset :

- aabid
- aabida
- aadesh
- ⋮
- ⋮
- ⋮
- zeel

Assume

- 1) Only 26 lower case char
- 2) _ indicates end char
- 3) $4 < \text{len} < 10$

Generate Training Dataset

WORD #1

aabid

say we consider

'history / content' of 3
chars.

X

Y

- - -

a

- - a

a

- a a

b

a a b

i

a b i

d

b i d


-

7 training
examples from
1 name


Important Idea Representation


→ learn a vector representation for each character

→ 'similar' characters → closer in vector space




WORD2VEC






CHILD
CRYING

=




CHILD
SMILING

+




ADULT
CRYING

-




ADULT
SMILING

Embedding matrix | table




Embedding matrix | table



— Given 27 char (a, .. z, -), 'k' dim embedding

	Dim 1	Dim 2 ..	Dim k
a	0.1
b			
⋮			
⋮			
⋮			
z			
-			

Embedding matrix | table




— Given 27 char (a, .. z, -), 'k' dim embedding

	Dim 1	Dim 2 ..	Dim k
a	0.1
b			
⋮			
i			
z			
-			

\leftarrow LEARNABLE

OVERALL ARCHITECTURE

- For illustratⁿ, 2dim embedding
x



OVERALL ARCHITECTURE

1) LOOKUP EMBEDDING


x

a	b	i
---	---	---

	D_1	D_2
a	0.1	0.3
b	-0.1	0.1
⋮		
i	0.6	0.4
z		
-		

OVERALL ARCHITECTURE

1) LOOKUP EMBEDDING




	D_1	D_2
a	0.1	0.3
b	-0.1	0.1
⋮		
⋮		
i	0.6	0.4
z		
-		

OVERALL ARCHITECTURE

2) CONCATENATE EMBEDDINGS


X



D_1 D_2

a	0.1	0.3
b	-0.1	0.1
⋮		
⋮		
i	0.6	0.4
z		
-		


Feature Vector



OVERALL ARCHITECTURE

3) MLP


27 classes



Layer L



Layer 1



OVERALL ARCHITECTURE


4) USE CROSS ENTROPY LOSS TO LEARN

- 1) Embeddings
- 2) MLP weights


27 classes



Layer L



Layer 1




OVERALL ARCHITECTURE

4) USE CROSS ENTROPY LOSS TO LEARN

- 1) Embeddings
- 2) MLP weights


27 classes




Output layer



Layer L



Layer 1



OVERALL ARCHITECTURE

5) GENERATION / SAMPLING

Test i/p
a b i

Test o/p

c	P(c)
a	0.01
b	0.01
c	0.01
d	0.6
e	:
...	,
...	.
...	:
...	∪
...	:

OVERALL ARCHITECTURE

5) GENERATION / SAMPLING

Test i/p
a b i

Sample from Prob.
distribution

abi a 1%
abi b 1%
abi d 60%
⋮

Test o/p

c	P(c)
a	0.01
b	0.01
c	0.01
d	0.6
e	⋮
⋮	⋮
⋮	⋮
⋮	⋮
⋮	⋮
⋮	⋮

OVERALL ARCHITECTURE

5) GENERATION | SAMPLING

